

Attorney Docket No.: A-1650-AV

12-06-01

0300
\$
3

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application:)
Hart, et al.)
Serial No.: 09/882,630 ✓)
Filed: June 13, 2001)
For: URETERAL ACCESS SHEATH)

Attorney Docket No.: ADIV-1790-AV

Assistant Commissioner of Patents and Trademarks
Washington, D.C. 20231

REQUEST FOR EXTENSION OF TIME

Dear Sir:

It is respectfully requested that an extension of time to file a response to the Notice to File Corrected Application papers mailed July 11, 2001, regarding the above-identified U.S. Patent Application, be granted for a period of two (2) months, up to and including November 11, 2001 pursuant to 37 C.F.R. § 1.17(c) and 37 C.F.R. § 1.136(a).


The requisite fee of \$200.00 is included in our enclosed check.

The Commissioner is hereby authorized to charge any additional fees which may be required or credit any over-payment to Deposit Account No. 01-2215.

Respectfully submitted,

Richard L. Myers
Registration No. 26,490
Attorney for Applicant

Date: Oct. 29, 2001
22872 Avenida Empresa
Rancho Santa Margarita, CA 92688
Telephone (949) 582-6120
Facsimile (949) 582-6243



#4

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/882,630	06/13/2001	Gary R. Dulak	ADIV-1790-AU

CONFIRMATION NO. 3325

FORMALITIES LETTER



OC000000006283069

Applied Medical Resources Corporation
22872 Avenida Empresa
Rancho Santa Margarita, CA 92688

Date Mailed: 07/11/2001

Response due 9/4/01
10/11/01
11/11/01
12/11/01 w/ 3 mth
2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.


Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 1 - ATTORNEY/APPLICANT COPY

12/07/2001 BABRAHA1 00000063 09882630

01 FC:216

200.00 OP